

**MISSOURI**  
DEPARTMENT OF  
NATURAL RESOURCES

Michael L. Parson  
Governor

Dru Buntin  
Director

February 29, 2024

City of Weldon Spring  
ATTN: Honorable Mayor Licklider  
5401 Independence Road  
Weldon Spring, MO 63304

**FINDING OF COMPLIANCE**

Dear Honorable Mayor Licklider:

On January 30, 2024, a team member from the Missouri Department of Natural Resources conducted an audit of Weldon Spring Phase II MS4, located at 5401 Independence Road, Weldon Spring in St. Charles County. The entity operates under the authority of Missouri State Operating Permit MOR04C070.

Compliance with Missouri Clean Water Law was evaluated. The entity was found to be **in compliance** based upon the observations made at the time of the evaluation.

The enclosed report describes the findings and may provide important recommendations, to ensure continued compliance. Your cooperation in implementing those recommendations will be appreciated.

Fact sheets are available on the department's website to assist entities with understanding and following environmental requirements.

If you have any questions or would like to schedule a time to meet with a department team member to discuss compliance requirements, please contact **Josh Segretto** by mail at the Missouri Department of Natural Resources, St. Louis Regional Office, 7545 South Lindbergh Blvd., Suite 210, St. Louis, Missouri 63125; by phone at 314-416-2960; or by email at [DNRSIRO.WPC@dnr.mo.gov](mailto:DNRSIRO.WPC@dnr.mo.gov).

Sincerely,

ST. LOUIS REGIONAL OFFICE

Josh Willison

Environmental Supervisor

JLW/aca

Enclosure

**Missouri Department of Natural Resources**  
**St. Louis Regional Office**  
**Report of Audit**  
**City of Weldon Springs**  
**5401 Independence Road, Weldon Springs, St Charles County**  
**MOR04C070**  
**February 29, 2024**

## **Introduction**

Pursuant to Section 644.026.1 of the Missouri Clean Water Law, I, Josh Segretto of the Missouri Department of Natural Resources (department) St Louis Regional Office (SLRO), conducted a routine audit of the City of Weldon Springs Municipal Separate Storm Sewer System (MS4) program, located in St. Charles County, Missouri on January 30, 2024. I conducted the audit to determine the facility's compliance with Missouri State Operating Permit MOR04070, the Missouri Clean Water Commission Regulations, and the Missouri Clean Water Law. This report presents my findings and the observations I made during the audit.

## **Participants**

### City of Weldon Springs

Bill Schnell                      City Engineer 636-441-2110 ext. 110                      [cityengineer@weldonspring.org](mailto:cityengineer@weldonspring.org)

### MoDNR

Josh Segretto	Environmental Specialist	314-416-2960	<a href="mailto:josh.segretto@dnr.mo.gov">josh.segretto@dnr.mo.gov</a>
Holly Harris-Schott	Environmental Specialist	314-416-2960	<a href="mailto:holly.harris-schott@dnr.mo.gov">holly.harris-schott@dnr.mo.gov</a>
Kate Herries	Environmental Specialist	314-416-2960	<a href="mailto:katherine.herries@dnr.mo.gov">katherine.herries@dnr.mo.gov</a>
Owen Gallagher	Env Program Analyst	314-416-2960	<a href="mailto:owen.gallagher@dnr.mo.gov">owen.gallagher@dnr.mo.gov</a>

This water pollution control audit was conducted on January 30, 2024 to determine the facility's compliance with the Missouri Clean Water Law, the Missouri Clean Water Commission Regulations, and the Missouri State Operating Permit (permit) MOR04C070. This report presents the findings and observations made during the compliance audit, including file review, site visits, and communications with entity representatives.

## **Facility Description and History**

As part of the audit, I reviewed the files for the Weldon Springs (City) stormwater program, including the Permit Conditions of Missouri State Operating Permit MOR04C070, to familiarize myself with the requirements specific to this facility. I also reviewed the past Annual Reports and the 2021-2026 Stormwater Management Plan for Weldon Springs (City), last revised on January 23, 2024.

Missouri State Operating Permit MOR04C070 was last issued on October 25, 2021 and expires on September 30, 2026. This permit sets forth permit conditions, both standard and specific, that the permittee is to follow.

The City is located in east-central Missouri. With an estimated population of 5,443 residents. The City covers 7.64 square miles, of which 7.51 square miles is land and 0.13 square miles is

**Report of Inspection**  
**City of Weldon Springs**  
**February 29, 2024**  
**Page 2 of 10**

water. The City is located in the Peruque-Pisa watershed (HUC 07110009 - 0104). The City estimates that there are two hundred commercial and home-based businesses within the City, 35 percent of which are estimated to be storefront businesses and 65 percent of which are estimated to be home-based. There is a commercial component of the City along State Highway 94 and a high-tech component along Interstate 64 (I-64). The City has a small industrial area along Route 94 near O'Fallon Road. In 2023 the City improved their available park space by adding a "Pocket Park" on Siedentop Road. This park is located on a tributary to Crooked Creek formed by the actual Weldon Spring. Weldon Spring is a natural spring that flows out of the hillside along Route 94 on State of Missouri property. The intention of the park is to help in educating residents about the importance of water quality due to its strategic location parallel to a tributary to Crooked Creek and the actual spring water flowing from Weldon Spring. The City owns Weldon Spring City Hall and Park, located at 5401 Independence Rd. and the Weldon Spring Park (Pocket Park on Crooked Creek).

A previous compliance audit of the City was conducted by Sarah Wright on January 3, 7-8, 2019. In response to the findings of the audit, the department issued the facility a Letter of Warning dated January 31, 2019. The audit report cited the City for failure to meet 3 requirements: 1. In violation of permit conditions 2.1, which requires the permittee to submit their Written SWMP, and 4.1.3, which requires the permittee to revise and submit the SWMP to the Water Protection Program's MS4 Coordinator within one (1) year of the effective date of the permit. 2. In violation of MCM 1 Public Education and Outreach on Storm Water Impacts, permit conditions 4.2.1.1.3, which requires a plan to inform individuals and groups on how to become involved in the SWMP (with activities such as local stream and lake restoration activities). 3. In violation of MCM 2 Public Involvement and Participation, permit conditions 4.2.2.1.3, which requires a plan to target all potentially affected stakeholder groups, including but not limited to, commercial and industrial businesses, trade associations, environmental groups, homeowner associations and educational organizations. A response was required by the City to the report by March 4, 2019. A response was received from the City dated February 28, 2019. The City was returned to compliance in a letter dated June 3, 2019.

### **Discussion of Audit and Observations**

Information presented below, that I obtained regarding City of Weldon Spring MS4 program was gathered at various times. Some of the information was gathered during the records review process prior to the audit, during the audit interviews, during the site visits, following the audit during review of documents obtained during the audit, and during review of the department's records.

There are six Minimum Control Measures (MCMs) defined in the MS4 permit as follows:

**MCM 1: Public Education and Outreach on Stormwater Impacts**

**MCM 2: Public Participation**

**MCM 3: Illicit Discharge Detection and Elimination (IDDE)**

**MCM 4: Construction Site Stormwater Runoff Control**

**MCM 5: Post-Construction Stormwater Management in New Development and Redevelopment**

**MCM 6: Pollution Prevention/Good Housekeeping for Municipal Operations**

The audit was conducted during normal business hours, **MCM 1: Public Education and Outreach on Stormwater Impacts** and **MCM 2: Public Participation** were the focus of the audit. I provided prior notification of the audit to allow the City time to gather the information requested. During the initial contact I outlined the purpose and scope of the audit.

#### Stormwater Management Program and Plan

Section 3.1.A of the operating permit requires MS4 permittees to develop, implement, and enforce a Stormwater Management Program to the extent allowable under state and local law. This section requires existing permittees to assess program elements that were described in the previous permit, modify as necessary, and/or implement new elements, as necessary.

Section 3.1.B of the operating permit requires MS4 permittees to update or develop a document explaining the Stormwater Management Program. This written Stormwater Management Plan (SWMP) shall be maintained by the MS4 Operator to ensure consistency with the implementation, continuity of the Stormwater Management Program, and iterative reviews of programmatic BMPs and procedures. This section requires the SWMP to be updated or developed within 90 days after the renewal of the permit. The SWMP submitted by the City of Weldon Spring for the audit was developed on January 2021, and updated on January 23, 2024.

At the time of the Audit Bill Schnell (City Engineer) explained the history of the facility's SWMP and the steps they took to revise the SWMP following the past audit, specifically outlining corrections made to achieve compliance. The 2021-2026 SWMP was last updated on January 23, 2024 and contained all required documentation, which was accurate, applicable, and up to date as required by Missouri State Operating Permit MOR04C070.

#### MCM 1: Public Education and Outreach on Stormwater Impacts

Section 4.1 of the operating permit requires MS4 permittees to implement a public education program to distribute educational materials to the community, and/or conduct equivalent outreach activities about the impacts of stormwater discharges on water bodies and the steps that the public can take to reduce pollutants in stormwater runoff.

The City targets residents, homeowners, and businesses, as their audience to provide MS4 related information. Bill Schnell explained outreach methods in great detail, showcasing their vast knowledge of their MS4 program. Bill explained that the City's methods composed primarily of available public and governmental vehicles, including: City Website, Facebook Page, Twitter, Yelp, Newsletters, Pamphlets. Bill explained that they, the City Engineer/Stormwater Manager is responsible for the overall program and developing public education topics and assisting with outreach on stormwater impacts. Bill Schnell explained that the effectiveness of their social media efforts, include Yelp Elite, facilitated the result of reaching 1.2 million people (views) in 2023.

The City Hall contained numerous brochures on a variety of MS4 topics made available to the public. The brochures were developed by the City of Weldon Spring on general MS4 information, pool and spa discharges, construction site erosion control, outfalls, and a variety of other stormwater topics. The brochures are focused on target pollutants identified by the City

**Report of Inspection**  
**City of Weldon Springs**  
**February 29, 2024**  
**Page 4 of 10**

Engineer and are specific to the City of Weldon Spring **(Photo #1-#16)(Attachment #3)**. The City also hosts an annual fishing day event. During the 2023 event, the City provided a stormwater interactive display to educate the public on where stormwater flows throughout the City, which was staffed by the City's summer intern. The City reevaluates the effectiveness of the brochures/pamphlets based off increased or decreased pollution observed throughout the year and the amount of brochures/pamphlets remaining at City Hall **(Attachment #3)**.

The City newsletter established by Ordinance 97-06, provides a newsletter to their citizens and businesses 4 times a year and contains information on stormwater management, announcements of meeting and event times, and placed and sources for available information. Additionally seasonal articles will appear in the quarterly newsletter for MS4 educational purposes. The City reevaluates the effectiveness of the newsletter based off increased or decreased pollution observed throughout the year and adjusts the newsletter accordingly **(Attachment #3)**.

The City has a dedicated stormwater page on the municipal website which contains a link to the current MS4 permit for 2021-2026, the City's stormwater management plan 2021-2026, the MS4 Annual Reports for 2021 and 2022, and the MS4 permit application information. The dedicated webpage also contains multiple areas with information pertaining to the MS4 program. These areas consist of: Keeping our Waterways Clean, Storm Sewer Maintenance Issues, Suspect Illegal Dumping (with a point of contact), Program Background, Program Authority and Implementation, Watersheds, Education and Outreach, Construction Site Runoff Control, Pollution Prevention and Good Housekeeping, Water Conservation Throughout the Home, and Mosquito Information. (<https://www.weldonspring.org/departments/community-development/stormwater-management>)

<b>BMP</b>	<b>Measurable Goal</b>	<b>Tracking and Adaptive Management</b>
Publish MS4 Information articles in the Quarterly City Newsletter	Develop Topics that are group specific and address activities and or pollutants of concern at seasonally appropriate time. Minimum of 2 articles annually shall be published	To the extend possible, track the pollutant before and after to see if there are changes
Targeted MS4 Education utilizing pamphlets and door hangers	Provide Erosion Control brochure to all small construction sites and Pool Brochure to all new pool permits	The City will distribute a targeted brochure to all new permits that involve small grading and to all new pool construction permits.
Information on the City Website	Maintain a webpage with up-to-date information and working links. All links shall be checked, and the page shall be updated at minimum annually. Must be maintained for the entire year.	The number of views shall be tracked. The City will use this to see which messages get reactions, and if certain messages may need more education.

**Report of Inspection  
City of Weldon Springs  
February 29, 2024  
Page 5 of 10**

Public Education and Outreach Results Log below:

<b>Date</b>	<b>Description</b>	<b>Adaptive Management</b>	<b>Summary/Results</b>
1/5/2021	City Newsletter Article – Winter 2021		Bush Honeysuckle Removal Information to all residents and property owners in Weldon Spring. (See documentation Log 1/5/2021)
4/6/2021	City Newsletter Article – Spring 2021		Article about MS4 Program and the six parts of an MS4 Plan (See documentation Log 4/6/2021)
4/24/2021	Weldon Spring Earth Day Cleanup		The City advertised with Social Media and Website a Park Cleanup. The result was 20 volunteers picking up 10 bags of trash / debris on the 18.14 acres of City Park. Volunteers also helped to clear 0.25 acre of invasive bush honeysuckle to help the environment. (See documentation log 4/22//2021)
6/1/2021	City Newsletter Article – Summer 2021	Educating residents and businesses on site disturbance requirements	Information on erosion control requirements on construction sites in the City sent to all residents and property owners. (See documentation log 6/1/2021)
9/27/2021	City Newsletter Article – Fall 2021		Information on Volunteer opportunities for MS4 (Cleanups, Stream Team, No More Trash, Weldon Spring Cleanups) sent to all residents and property owners

**Report of Inspection**  
**City of Weldon Springs**  
**February 29, 2024**  
**Page 6 of 10**

12/9/2021	City Newsletter Article – Winter 2021 – 2022	Target area with increased number of pool permits in City	Information on pool and spa discharge requirements
3/14/2022	Spring Newsletter on Park Cleanup Volunteer Opportunity and Earth Day	Re-energize volunteer opportunities after covid shut down.	Volunteer opportunity for residents.
6/13/2022	MS4 Article in Summer Newsletter on Organics (leaves, grass, etc.) in stormwater discharge.		Information on yard waste pollutants sent to all homeowners and businesses.
9/29/2022	Fall Newsletter on Stormwater Drainage - to all residents and businesses.		MS4 stormwater drainage information sent to all homeowners and businesses.
10/5/2022	Stormwater Article posted on City Website on yard waste proper disposal.		Leaves and yard waste target pollutant for fall newsletter – seasonal target. Sent to all land owners and businesses in Weldon Spring.
1/12/2023	MCM 1 Public Education & Outreach	All Active Land Disturbance Permits	Educational Pamphlet/Handout
3/27/2023	MCM 1 Public Education & Outreach	Article on Target Pollutants, Illicit Connections, Illicit Discharges	Educational Newsletter Article
6/5/2023	MCM 1 Public Education & Outreach	Article on target pollutant – Pet Waste sent to all residents	Educational Newsletter Article
6/10/2023	MCM 1 Public Education & Outreach	MS4 Interactive Display for children at Kid’s Fishing Day at City Hall Park	Educational Event
8/1/2023	MCM 1 Public Education & Outreach	Social Media Posting on Pet Waste on Yelp – Metrics – June	Educational/Social Media
8/2/2023	MCM 1 Public Education & Outreach	Social Media Posting on Pet Waste on Yelp – Metrics – July	Educational/Social Media
8/31/2023	MCM 1 Public Education & Outreach	Social Media Posting on Pet Waste on Yelp – Metrics – August	Educational/Social Media

10/2/2023	MCM 1 Public Education & Outreach	Article on BMP – Detention Basin Requirements	Educational Newsletter Article
11/30/2023	MCM 1 Public Education & Outreach	Article on Detention Basin BMP Maintenance Requirements	Educational Newsletter Article
6/5/2023	MCM 1 Public Education & Outreach	Facebook post about keeping drinking water sources clean	Educational/Social Media

#### MCM 2: Public Participation

Section 4.2 of the operating permit requires the permittee to develop and implement a comprehensive public participation program that provides opportunities for public participation in the development and oversight of the permittee’s Stormwater Program.

The City provides opportunities for citizens to participate in program development and implementation through effectively publicizing public hearings and encouraging citizen representatives on a stormwater management panel. However, the City does not currently have a stormwater management panel due to the small size of the City and lack of volunteers to serve. During the draft of the City’s MS4 Permit, the City posted a public notice for a public meeting to occur on March 4, 2021 and the start of a public comment period from January 28, 2021 to March 4, 2021 on the City website and in municipal communications. This is in addition to the City’s volunteer event at Pocket Park on Siedentop Road, where 3 City staff employees and 18 Scouts assisted in the cleanup of the area and the removal of invasive Honeysuckle (Photos #12-#16)(**Attachment #4**). Additionally, Bill Schnell has volunteered to participate in Stream Team water monitoring training (May 2023) and plans to start monitoring the water quality in the creek at the Weldon Spring park (Pocket Park on Siedentop Road).

The City evaluates their Public Participation Program through Adaptive Management, at minimum, annually and updates implementation procedures as necessary. The City utilizes this method to review how to best reach the public, the effectiveness of the mechanisms, and the effectiveness of reaching the public. The table below was provided by the City to demonstrate how they document their annual reviews.

Year Being Reviewed	Date of Review	Reviewer(s)	Were Changes Made and Noted?
2021	10/26/2021	Bill Schnell	The City advertised on the website and with social media the public meeting. One comment received liking City MS4 informational pamphlets. Covid-19 has impacted attendance at public events in the last two years.
2022	12/29/2022	Bill Schnell	Not a renewal period for permit – no public meeting. Volunteer opportunities and results posted in MCM1
2023	1/2/2024	Bill Schnell	Not a renewal period for permit – no public meeting. Volunteer opportunities and results posted in MCM1. Good participation in City with small groups (boy scouts, church groups). Park cleanup events draw the most interest.

MCM 3: Illicit Discharge Detection and Elimination (IDDE)

Section 4.3 of the operating permit requires the permittee to implement, and enforce a program to detect and eliminate illicit discharges (as defined in 10 CSR 20-6.200 and 40 CFR 122.26(b)(2)) into the regulated MS4.

The focused audit consisted of MCM 1 and MCM 2, other MCMs were not audited during the audit on January 30, 2024

MCM 4: Construction Site Stormwater Runoff Control

Section 4.4 of the operating permit requires the permittee to develop, implement, and enforce a program to reduce pollutants in any stormwater runoff to their MS4 from construction activities that result in land disturbance of greater than or equal to one acre. Reduction of stormwater discharges from construction activity disturbing less than one acre shall be included in the program if that construction activity is part of a larger common plan of development or sale that would disturb one acre or more.

The focused audit consisted of MCM 1 and MCM 2, other MCMs were not audited during the audit on January 30, 2024

MCM 5: Post-Construction Stormwater Management in New Development and Redevelopment

Section 4.4 of the operating permit requires the permittee to continue or develop, implement, and enforce a program to address the quality of long-term stormwater runoff from new development and redevelopment projects that disturb equal to and greater than one acre, including projects less than one acre that are part of a larger common plan of development or sale that would disturb one acre or more and that discharge into the regulated MS4. The MS4's program shall ensure that controls are in place that have been designed and implemented to prevent or minimize water quality impacts.

The focused audit consisted of MCM 1 and MCM 2, other MCMs were not audited during the audit on January 30, 2024

MCM 6: Pollution Prevention/Good Housekeeping for Municipal Operation

Section 4.6 of the operating permit requires the permittee to develop and implement an operation and maintenance program that includes a training component and has the ultimate goal of preventing or reduction pollutant runoff from municipal operations.

The focused audit consisted of MCM 1 and MCM 2, other MCMs were not audited during the audit on January 30, 2024

**Sampling and Monitoring**

No samples were taken during the Audit.

**Compliance Determination, Violations, and Required Actions**

The facility was found to be in compliance with the Missouri Clean Water Law, the Missouri Clear Water Commission regulations, and MSOP MOR04C070, based upon observations made during the inspection. A Finding of Compliance is being issued.


**Additional Comments/Conclusions**

Any questions regarding this report should be directed to Josh Segretto by phone at 314-416-2960 or by email at [DNRSIRO.WPC@dnr.mo.gov](mailto:DNRSIRO.WPC@dnr.mo.gov). Any questions regarding the MS4 permit in general can be sent to the MS4 Coordinators at [MS4@dnr.mo.gov](mailto:MS4@dnr.mo.gov).

**Signatures**

SUBMITTED BY:

REVIEWED BY:



Josh Segretto  
Environmental Specialist  
St. Louis Regional Office



Josh Willison  
Environmental Supervisor  
St. Louis Regional Office

JLW/aca

**Attachments**

**Attachment 1: Photos (#1) - (#16)**

**Attachment 2: Aerial Maps**

**Attachment 3: MCM1\_Documentation\_Binder**

**Attachment 4: Weldon\_Springs\_MS4\_Volunteer\_Opportunities\_Brochure**



Photo #: 1  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401  
Independence Road, Weldon Spring, MO 63304  
Description: Building Plaque identifying building.  
Date Taken: 1/30/2024  
Media: WPC



Photo #: 2  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401  
Independence Road, Weldon Spring, MO 63304  
Description: Pamphlet information board. Included numerous literature regarding stormwater pollution, volunteer opportunity, land development requirements, etc.  
Date Taken: 1/30/2024  
Media: WPC



Photo #: 3  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401  
Independence Road, Weldon Spring, MO 63304  
Description: Pamphlet information board. Included numerous literature regarding stormwater pollution, volunteer opportunity, land development requirements, etc.  
Date Taken: 1/30/2024  
Media: WPC



Photo #: 4  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401 Independence Road, Weldon Spring, MO 63304  
Description: Pamphlet information board. Included numerous literature regarding stormwater pollution, volunteer opportunity, land development requirements, etc.

Date Taken: 1/30/2024  
Media: WPC



Photo #: 5  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401 Independence Road, Weldon Spring, MO 63304  
Description: Information bulletin for stormwater outfalls and watershed areas  
Date Taken: 1/30/2024  
Media: WPC



Photo #: 6  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401 Independence Road, Weldon Spring, MO 63304  
Description: Information bulletin for stormwater outfalls and watershed areas

Date Taken: 1/30/2024  
Media: WPC




Photo #: 7  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401 Independence Road, Weldon Spring, MO 63304  
Description: Hazardous Waste Spill reporting information on bulletin  
Date Taken: 1/30/2024  
Media: WPC




Photo #: 8  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401 Independence Road, Weldon Spring, MO 63304  
Description: Hazardous Waste Spill and 24 hour emergency phone number reporting information on bulletin  
Date Taken: 1/30/2024  
Media: WPC



Photo #: 9  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401 Independence Road, Weldon Spring, MO 63304  
Description: Pamphlet information board. Included numerous literature regarding stormwater pollution, and land development requirements.  
Date Taken: 1/30/2024  
Media: WPC

Attachment #1 – Photos  
Weldon Spring Phase II MS4  
February 29, 2024  
Page 4 of 6




Photo #: 10  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401  
Independence Road, Weldon Spring, MO 63304  
Description: Pamphlet information board. Included  
numerous literature regarding stormwater pollution,  
land development requirements.  
Date Taken: 1/30/2024  
Media: WPC




Photo #: 11  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401  
Independence Road, Weldon Spring, MO 63304  
Description: Application for excavation permit  
Date Taken: 1/30/2024  
Media: WPC




Photo #: 12  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401  
Independence Road, Weldon Spring, MO 63304  
Description: Bulletin board with posted public  
meeting times and dates  
Date Taken: 1/30/2024  
Media: WPC

Attachment #1 – Photos  
Weldon Spring Phase II MS4  
February 29, 2024  
Page 5 of 6




Photo #: 13

Taken by: Josh Segretto

Entity: Weldon Spring Phase II MS4

Permit: MOR04C070

Location: City Hall and Municipal Court at 5401

Independence Road, Weldon Spring, MO 63304

Description: Bulletin board with posted public meeting times and dates

Date Taken: 1/30/2024

Media: WPC




Photo #: 14

Taken by: Josh Segretto

Entity: Weldon Spring Phase II MS4

Permit: MOR04C070

Location: City Hall and Municipal Court at 5401

Independence Road, Weldon Spring, MO 63304

Description: Bulletin board with posted public meeting times and dates

Date Taken: 1/30/2024

Media: WPC




Photo #: 15

Taken by: Josh Segretto

Entity: Weldon Spring Phase II MS4

Permit: MOR04C070

Location: City Hall and Municipal Court at 5401

Independence Road, Weldon Spring, MO 63304

Description: Bulletin board with posted public meeting times and dates

Date Taken: 1/30/2024

Media: WPC

**Attachment #1 – Photos**  
**Weldon Spring Phase II MS4**  
**February 29, 2024**  
**Page 6 of 6**






Photo #: 16  
Taken by: Josh Segretto  
Entity: Weldon Spring Phase II MS4  
Permit: MOR04C070  
Location: City Hall and Municipal Court at 5401  
Independence Road, Weldon Spring, MO 63304  
Description: Bulletin board with posted public  
meeting times and dates  
Date Taken: 1/30/2024  
Media: WPC



Map 1. City of Weldon Spring, City boundary outlined.



Map 2. Aerial view of the City with outfall/discharge locations marked.